



1. **Safety:** Full Ronnie Griffin custom fully welded in roll cage. Welded to the body in as many places as possible. FIA plumbed in fire extinguisher. (Installed 2009), Master cutoff switch. 6 point Harness, Sparco Evo Pro seat (2009)



2. **Front Brakes:** Machined front uprights with Mitsubishi Evo 9 Brembo brake calipers with Compbrake 330 X 32mm vented discs with alloy bells. Carbotech XP10 Race pads.



- 3. **Rear Brakes:** Recent standard brake disks with EBC Yellow race pads.
- 4. **Brakes General:** Recent master cylinder with Brake proportioning valve. Goodridge SS braided hoses. Re-plumbed for brake bias valve.



5. **Wheels:** 1 set of white 8 X 17 Lightweight Team Dynamics alloys (very sought after) and 1 set of white 7.5 X 17 Enkie Alloy wheels.



6. **Engine:** KL-ZE 2.5 V6 24V quad cam engine fully rebuilt in 2009 with only 4 events since rebuild. AWR Racing engine mounts. Custom made Alloy Swirl tank & new alloy radiator.



- 7. **Exhaust:** Full stainless tuned exhaust manifolds, SS resonance de-cat & SS rear exhaust box.
- 8. **Transmission:** Close ration JDM spec gearbox with Unorthodox racing alloy flywheel with DXD OFE Stage 3 clutch. Recent MFactory helical LSD. Short shifter with machined nylon bushes.



9. **Suspension:** K-Sport RR Custom valved competition Coilovers with adjustable pillowball top mounts front & rear with many sets of springs/ helper springs. 22mm addco competition rear anti-roll bar. Polybushed suspension with new front wishbones

& AWR Racing rear Trailing arms. Rear converted to 2 wheel steer. Welded on front strut top reinforcing steel drilled to allow simultaneous caster & camber adjustment. Custom machined Roll centre adjusters & rose jointed bump steer adjustable track rod ends. Recent 4 wheel bearings installed.



- 10. **Electronics:** Shift light, integrated lap timer. Wiring loom lightened.
- 11. **Interior:** Interior completely stripped, spare tyre well removed and replaced with 1mm alloy plate. Doors lightened with Carbon/ABS door trims. OMP Alloy hi grip pedal covers.

12. **Exterior:** Lexan 4mm windows all round. Welded in alignment points front and rear for quick & accurate alignment (Plus bolt on alignment brackets supplied). Lightweight door mirrors. Weight reduction program with current weight 970 Kgs.